CFMOTO®

EXPERIENCE MORE TOGETHER

2022

THE NEW LINEUP FOR 2022:

MELDING QUALITY AND AFFORDABILITY

Smart riders are clued in. Riding without compromise has never been more doable. From the CFORCE 1000 Overland to the brand new ZFORCE 950 H.O. EX and UFORCE 1000 XL, you can pick out a machine that's a perfect fit for you and your wallet.

ZFORCE SERIES 6

UFORCE SERIES 12

CFORCE SERIES 18

THE NEW STANDARD FOR WHAT'S STANDARD

They handle every bump in the road — without a bump in price. CFMOTO machines suck it up and spit it out wherever the going gets treacherous. And now your dream of riding a high-quality machine with all the bells and whistles is within your reach. Isn't it time to ride the way you want to ride?

RIDE WITHOUT COMPROMISE

AUTOMOTIVE STYLE PAINT: STANDARD

PULSE™ TFT DISPLAY STANDARD

DURABLE ROOF: STANDARD

PULSE™ TFT DISPLAY STANDARD

ELECTRONIC POWER STEERING: STANDARD

ALUMINUM RIMS: STANDARD

LED LIGHTS: STANDARD

POWERFUL WINCH: STANDARD

ALUMINUM RIMS: STANDARD

LCD DIGITAL DISPLAY: STANDARD

COMPOSITE-OVER-STEEL RACK DESIGN: STANDARD

ALUMINUM RIMS: STANDARD

Many features listed not available on CFORCE 400.

A GROWING NETWORK OF SERVICE AND SUPPORT.

With dealerships in **80** countries and over **500** in the United States alone, riders everywhere are jumping on ATVs and side-by-sides from CFMOTO. Now you can ride without compromise on a machine your frugal side and wild side can both love.





THE ENGINE THAT FUELED OUR GROWTH

It began with one part: our trademark, liquid-cooled 4-stroke engine. This marvel of engineering sparked the company startup in 1989 and what followed was world-renowned ATVs, side-by-sides, motorcycles and more.

TURN YOUR WORLD INTO AN ADULT SANDBOX

ZFORCE SERIES

Playing in the sand takes a machine that works hard and relishes every bump in or off the road. The ZFORCE lineup of performance side-by-sides roam rocky trails and treacherous terrain like they were born for it. And that's no accident—it's by design. 60- to 64-inch-wide performance stances on the 800 EX, 950 H.O. Sport and the new ZFORCE 950 H.O. EX let you ride roughshod over unforgiving ground. The 500 and 800 Trail let you dial in your own pace with a 50-inch-wide trail stance. Custom seats, half doors and hard-top roofs are just a few of the standard features that cater to your comfort and safety. It's time to pick out a ZFORCE that fits the way you want to ride without chewing up your paycheck.

Z FORCE FEATURES

950 H.O. EX

950 H.O. SPORT

800 EX

QUADLINK SUSPENSION
Massive adjustable gas shocks work in tandem with multi-link trailing arms to take on whoops, ruts and dunes. An adjustable toe-in/toe-out feature lets you really dial in your ride.

QUADLINK
TRAILING ARM REAR SUSPENSION

HARD TOP ROOF
Protection from the elements, standard on all ZFORCE models.

SPORT MODE
When you want to get more performance and power, switch to sport mode and watch the dirt fly (950 models only.)

ELECTRONIC POWER STEERING

RIDEVISION LED HEADLIGHTS

LED array reflector style sets you apart, 80% brighter than halogen (950 models only.)

ECO MODE

SPORT MODE

HALF DOORS
This stylish feature comes standard and is a must-have on rugged trails.

HALF DOORS
This stylish feature comes standard and is a must-have on rugged trails.

PULSE DIGITAL DISPLAY

PULSE DIGITAL DISPLAY
The TFT (thin film technology) color display shows several engine vitals and also has a Bluetooth call indicator (950 models only.)

WINCH
Comes standard on every ZFORCE model. 950 H.O. EX gets a 3500 lb. winch with synthetic rope while the 950 H.O. Sport model gets standard cable. The 800 EX gets a 3000 lb. winch. All feature convenient remote control operation.

ALUMINUM ALLOY WHEELS PLUS CST PERFORMANCE TIRES
Lightweight aluminum machined polished rims are wrapped by durable performance tires. 950 models both get beadlocks too. The 950 Sport gets 27" tires and the 950 EX gets 29" tires.

SPORT

PICK YOUR PERFORMANCE STANCE FROM

60"–64"



TRAIL

HARD TOP ROOF
Protection from the elements. Standard on all ZFORCE models.



CARGO NET
The reinforced nylon webbing net secures bulky items in your vehicle's cargo area.

CUSTOM-SEWN SEATS
High-style, high-quality, sculpted seats ensure optimum seating position and all-day comfort for you and your passenger.

HALF DOORS
Appreciated on the rugged trail—a standard feature on the 800 Trail.

ELECTRONIC POWER STEERING



TRAIL-READY MIRRORS
These durable side-view mirrors give you a better line of sight, providing more control in your environment.

HEADLIGHTS WITH LED ACCENTS
Stylish LED accents help light up the trail.



3,000 lb. WINCH
Comes standard on all ZFORCE trail models. Winch features convenient remote-control operation.

ALUMINUM ALLOY WHEELS
Lightweight aluminum machined polished rims are wrapped by durable performance tires.

SHOCKS
All ZFORCE models get front and rear compression/rebound adjustable gas shocks.

800 TRAIL

500 TRAIL

TRAIL STANCE
50"



64" wide with a 963cc V-Twin EFI engine, QuadLink™ trailing arm rear suspension, and 2WD/4WD/4WD lock.

ZFORCE® 950 H.O. EX

60" wide with a 963cc V-Twin EFI engine, QuadLink™ trailing arm rear suspension, and 2WD/4WD/4WD lock.

ZFORCE® 950 H.O. SPORT

60" wide with an 800cc V-Twin EFI engine, 2WD/4WD/4WD lock and half doors.

ZFORCE® 800 EX

50" wide with an 800cc V-Twin EFI engine, 2WD/4WD/4WD lock and half doors.

ZFORCE® 800 TRAIL

50" wide with a 495cc single cylinder EFI engine, 2WD/4WD/4WD lock, plus side door nets.

ZFORCE® 500 TRAIL

ZFORCE®
2022 SPECS

POWER & DRIVETRAIN	500 TRAIL	800 TRAIL	800 EX	950 H.O. SPORT	950 H.O. EX
ENGINE TYPE	Single cylinder, liquid cooled, 4-stroke, SOHC, 4-valve	V-Twin, liquid cooled, 4-stroke, SOHC, 8-valve	V-Twin, liquid cooled, 4-stroke, SOHC, 8-valve	V-Twin, liquid cooled, 4-stroke, SOHC, 8-valve	V-Twin, liquid cooled, 4-stroke, SOHC, 8-valve
DISPLACEMENT	495cc	800cc	800cc	963cc	963cc
MAX POWER	38 HP @ 6800 RPM	62 HP @ 6700 RPM	62 HP @ 6700 RPM	90 HP @ 7750 RPM	90 HP @ 7750 RPM
FUEL SYSTEM	Bosch® EFI	Delphi® EFI	Delphi® EFI	Bosch® EFI	Bosch® EFI
TRANSMISSION	CVTech Automatic P/R/N/H/L	Wet Clutch Automatic P/R/N/H/L	Wet Clutch Automatic P/R/N/H/L	CVTech Automatic P/R/N/H/L	CVTech Automatic P/R/N/H/L
DRIVE	2WD/4WD/4WD lock	2WD/4WD/4WD lock	2WD/4WD/4WD lock	2WD/4WD/4WD lock	2WD/4WD/4WD lock
DIMENSIONS					
L x W x H	113" x 50" x 70"	113" x 50" x 70"	113" x 60" x 72"	118" x 60" x 71"	118" x 64" x 71"
WHEEL BASE	80"	80"	80"	90"	90"
GROUND CLEARANCE	11.2"	11.2"	11.8"	12.2"	13"
CURB WEIGHT	1279 lbs.	1311 lbs.	1322 lbs.	1499 lbs.	1510 lbs.
FEATURES					
BRAKING	**Front/Rear:** Hydraulic disc	**Front/Rear:** Hydraulic disc	**Front/Rear:** Hydraulic disc	**Front/Rear:** Hydraulic disc	**Front/Rear:** Hydraulic disc
SUSPENSION	**Front/Rear:** Double A-arm independent	**Front/Rear:** Double A-arm independent	**Front/Rear:** Double A-arm independent	**Front:** Double A-arm independent **Rear:** QuadLink™ trailing arm independent	**Front:** Double A-arm independent **Rear:** QuadLink™ trailing arm independent
SHOCKS	**Front/Rear:** High pressure gas, compression/rebound adjustable	**Front/Rear:** High pressure gas, compression/rebound adjustable	**Front/Rear:** High pressure gas, compression/rebound adjustable	**Front/Rear:** High pressure gas w/ piggyback reservoir, compression/ rebound adjustable	**Front/Rear:** High pressure gas w/ piggyback reservoir, compression/ rebound adjustable
WHEELS	14" Cast aluminum alloy	14" Cast aluminum alloy	14" Cast aluminum alloy	14" Cast aluminum alloy w/beadlocks	14" Cast aluminum alloy w/beadlocks
TIRES	**Front**: 26"x9"xR14 CST **Rear**: 26"x11"xR14 CST	**Front**: 26"x9"xR14 CST **Rear**: 26"x11"xR14 CST	**Front**: 26"x9"xR14 CST **Rear**: 26"x11"xR14 CST	**Front**: 27"x9"xR14 CST **Rear**: 27"x11"xR14 CST	**Front**: 29"x9"xR14 CST **Rear**: 29"x11"xR14 CST
ADDITIONAL FEATURES	Electronic power steering, 3000 lb. winch, LCD display, mirrors, LED headlight accents, roof, rear cargo net, tilt steering with steering wheel lock, side door nets, 2" receiver	Electronic power steering, 3000 lb. winch, LCD display, mirrors, LED headlight accents, roof, rear cargo net, tilt steering with steering wheel lock, half doors, engine braking, 2" receiver	Electronic power steering, 3000 lb. winch, LCD display, mirrors, LED headlight accents, roof, rear cargo net, tilt steering with steering wheel lock, half doors, engine braking, 2" receiver	Electronic power steering, 3500 lb. winch, Pulse™ TFT display, Ridevision™ LED headlights/taillights, roof, tilt steering with steering wheel lock, half doors, 9.6 gal. fuel tank	Electronic power steering, 3500 lb. winch with synthetic rope, Pulse™ TFT display, Ridevision™ LED headlights/ taillights, roof, tilt steering with steering wheel lock, half doors, 9.6 gal. fuel tank
COLORS	Lava Orange, Titanium Grey	Lava Orange, Athens Blue, Pearl White	Lava Orange, Athens Blue, Pearl White	Lava Orange, Pearl White, Ghost Grey	Lava Orange, Pearl White, Nebula Black

950 H.O. V-TWIN
8-VALVE, SOHC, EFI 90 HP, liquid cooled, twin cylinder, 8-valve featuring Bosch® Electronic Fuel Injection and CVTech clutches.



800 V-TWIN
8-VALVE, SOHC, EFI 62 HP, liquid cooled, twin cylinder, 8-valve featuring Delphi® Electronic Fuel Injection and wet clutch with engine braking.

500 H.O.
4-VALVE, SOHC, EFI 38 HP, liquid cooled, single cylinder, 4-valve featuring Bosch® Electronic Fuel Injection and CVTech clutches.

U FORCE
SERIES



BLURRING THE LINE BETWEEN WORK AND PLAY

UFORCE machines show how hard work pays off, in performance and in bang for the buck. They thrive in tough conditions, with the power and handling that can tackle whatever nasty job you throw their way. Take the brand new UFORCE 1000 XL, the big brother to the UFORCE 1000, with two 3-person bench seats to haul more rear ends as you haul butt. The 800 features two bucket seats while the 600 sports a roomy two-person bench seat. Large capacity cargo boxes and a 3500 lb. winch with wireless remote come standard on every UFORCE machine. Ready to mix work and play? Jump into a UFORCE, the best ranch hand around.

U FORCE
FEATURES

1000 XL

6-PERSON CAB ON THE XL

1000

REMOVABLE STORAGE BOX
Under the seat you'll find ample storage space with a handy pull out tool box to help organize your gear.

3-PERSON BENCH SEAT
A center console with integrated cup holders folds up, creating a front bench seat with room for three adult passengers on both the 1000 XL and 1000 models.

ROOF
Comes standard on the 1000.

VARIABLE ELECTRONIC POWER STEERING WITH TILT & WHEEL LOCK
Custom adjust to fit your ride style.

SIDE NETS
Keep brush and debris where it belongs, out of the cab.

1000 LB. CAPACITY TILTING CARGO BOX Unload easily with nitrogen gas-assisted dump box.

HANDY TIE DOWNS
Come standard on the cargo box.

PROJECTOR BEAM HEADLIGHTS WITH LED ACCENTS
Bright white LED projector headlights accented with stylish LED strips.

3,500 LB. WINCH
Features a wireless remote control for convenient operation.

PULSE DIGITAL DISPLAY

PULSE DIGITAL DISPLAY
The TFT (thin film technology) color display shows several engine vitals and also has a Bluetooth call indicator.

27" CST PERFORMANCE TIRES
Excellent traction in every terrain.



1000 XL

600

CARGO BOX DIVIDER SLOTS
Convenient slots for divider boards to separate your cargo.

2-PERSON BENCH SEAT WITH UNDER-SEAT STORAGE
Comfortable 2-person bench seat lets you bring along extra help and the under-seat storage box lets them bring their gear too.



ROOF
Comes standard.

600

SIDE NETS
Keep brush and debris where it belongs, out of the cab.

BACKUP LIGHTS

RIDEVISION LED HEADLIGHTS

LED array reflector style sets you apart, 80% brighter than halogen.

VARIABLE ELECTRONIC POWER STEERING WITH TILT & WHEEL LOCK
Custom adjust to fit your ride style.

600 LB. CAPACITY DUMPING CARGO BOX
Load and unload easily thanks to the nitrogen gas-assisted dump box.

LCD DISPLAY
Monitor twelve engine vitals at a glance.

ALUMINUM RIMS

3,500 LB. WINCH
Features a wireless remote control for convenient operation.

963cc V-twin EFI engine, 1,000-lb. capacity rear cargo box, two 3-person bench seats, roof, 3,500 lb. winch with wireless remote. Six-person capacity.

UFORCE® 1000 XL

Shown with optional accessories.

963cc V-twin EFI engine, 1,000-lb. capacity rear cargo box, 3-person bench seat, roof, 3,500 lb. winch with wireless remote.

UFORCE® 1000

Shown with optional accessories.

800cc V-twin EFI engine, 600-lb. capacity rear cargo box, 2 bucket seats, 3,500 lb. winch with wireless remote.

UFORCE® 800

580cc single cylinder EFI engine, 600-lb. capacity rear cargo box, 2-person bench seat, roof, 3,500 lb. winch with wireless remote.

UFORCE® 600

Shown with optional accessories.

UFORCE®
2022 SPECS

POWER & DRIVETRAIN	600	800	1000	1000 XL
ENGINE TYPE	Single cylinder, liquid cooled, 4-stroke, SOHC, 4-valve	V-Twin, liquid cooled, 4-stroke, SOHC, 8-valve	V-Twin, liquid cooled, 4-stroke, SOHC, 8-valve	V-Twin, liquid cooled, 4-stroke, SOHC, 8-valve
DISPLACEMENT	580cc	800cc	963cc	963cc
MAX POWER	40 HP @ 6250 RPM	62 HP @ 7250 RPM	79 HP @ 7000 RPM	79 HP @ 7000 RPM
FUEL SYSTEM	Bosch® EFI	Delphi® EFI	Bosch® EFI	Bosch® EFI
TRANSMISSION	CVTech Automatic P/R/N/H/L	Wet Clutch Automatic P/R/N/H/L	CVTech Automatic P/R/N/H/L	CVTech Automatic P/R/N/H/L
DRIVE	2WD/4WD/4WD lock	2WD/4WD/4WD lock	2WD/4WD/4WD lock	2WD/4WD/4WD lock
DIMENSIONS				
L x W x H	110.5" x 57.25" x 75.5"	117" x 57.6" x 73"	117" x 63.5" x 72.8"	148" x 63.5" x 72.8"
WHEEL BASE	76.34"	72"	80.7"	112"
GROUND CLEARANCE	10.25"	10.2"	11.4"	11.4"
CURB WEIGHT	1481 lbs.	1377 lbs.	1520 lbs.	1808 lbs.
CARGO BOX CAPACITY	600 lbs.	600 lbs.	1000 lbs.	1000 lbs.
FEATURES				
BRAKING	**Front/Rear:** Hydraulic disc with parking brake	**Front/Rear:** Hydraulic disc	**Front/Rear:** Hydraulic disc	**Front/Rear:** Hydraulic disc
SUSPENSION	**Front:** High clearance gull wing A-arm independent **Rear:** Double A-arm independent	**Front/Rear:** Double A-arm independent	**Front**: High clearance gull wing A-arm independent **Rear:** Double A-arm independent	**Front**: High clearance gull wing A-arm independent **Rear:** Double A-arm independent
SHOCKS	**Front/Rear:** Spring pre-load adjustable, oil damped	**Front/Rear:** Spring pre-load adjustable, oil damped	**Front/Rear:** Spring pre-load adjustable, oil damped	**Front/Rear:** Spring pre-load adjustable, oil damped
WHEELS	12" Cast aluminum alloy	14" Cast aluminum alloy	14" Cast aluminum alloy	14" Cast aluminum alloy
TIRES	**Front**: 25"x8"xR12 **Rear**: 25"x10"xR12	**Front**: 26"x9"xR14 CST **Rear**: 26"x11"xR14 CST	**Front**: 27"x9"xR14 CST **Rear**: 27"x11"xR14 CST	**Front**: 27"x9"xR14 CST **Rear**: 27"x11"xR14 CST
ADDITIONAL FEATURES	Electronic power steering, electronic throttle, 3500 lb. winch with wireless remote, 2-person bench seat, LCD display, Ridevision™ LED headlights and taillights with backup lights, tilt steering with steering wheel lock, roof, rear differential lock, large 9.25 gal. fuel tank, 2" receiver, adjustable driver's seat, removable storage box	Electronic power steering, 3500 lb. winch with wireless remote, LCD gauge, mirrors, halogen headlights with LED accents, tilt steering with steering wheel lock, engine braking, 2" receiver	Electronic power steering, electronic throttle, 3500 lb. winch with wireless remote, 3-person bench seat, TFT display, mirrors, LED headlights/taillights, tilt steering, roof, locking rear differential, large 10.5 gal. fuel tank, 2" receiver, adjustable driver's seat, removable storage box	Electronic power steering, electronic throttle, 3500 lb. winch with wireless remote, two 3-person bench seats, TFT display, mirrors, LED headlights/taillights, tilt steering, roof, locking rear differential, large 10.5 gal. fuel tank, 2" receiver, adjustable driver's seat, removable storage box
COLORS	Velocity Grey, Royal Blue, True Timber Camo	Mercury Silver, Nebula Black, True Timber Camo	Galaxy Grey, Twilight Blue, True Timber Camo	Galaxy Grey, Twilight Blue, True Timber Camo

1000 V-TWIN
8-VALVE, SOHC, EFI 79 HP, liquid cooled, twin cylinder, 8-valve featuring Bosch® Electronic Fuel Injection and CVTech clutches.

800 V-TWIN
8-VALVE, SOHC, EFI 62 HP, liquid cooled, twin cylinder, 8-valve featuring Delphi® Electronic Fuel Injection and wet clutch and engine braking.

600 H.O.
4-VALVE, SOHC, EFI 40 HP, liquid cooled, single cylinder, 4-valve featuring Bosch® Electronic Fuel Injection and CVTech clutches.

CFORCE SERIES

When it's time to get off a beaten path, there's no better way to engineer an escape than CFORCE The best of the best is the CFORCE 1000 Overland, voted ATV of the year for 2020 by ATVIllustrated.com. Its 963cc V-twin engine lets you pound down trails and traverse mile after mile of rocky terrain. An accessory passenger seat and three hard-side cases let you customize your ride and pack gear for hunting, fishing or camping trips. The 800 XC offers sculpted, 2-up seating, while the 600 has a newer front and rear rack design. The 400 and 500 are mid-size mighty mites that are heavy on standard features but light on your wallet. And both come with all-new styling. Enlist CFORCE to fuel the fire of your adventurous spirit.

YOU CAN PLAY REMOTELY TOO

CFORCE FEATURES

1000 OVERLAND



2-UP SEAT COMPATIBLE
Add an optional passenger seat accessory to bring along your favorite companion.

FRONT FAIRING
An integrated windscreen and hand guards help protect you from the elements.

ELECTRONIC POWER STEERING
Variable assist electronic power steering gives you optimal steering feedback in all conditions.

BRIGHT WHITE PROJECTOR BEAM HEADLIGHTS
Accented with stylish LED strips. Plus high intensity LED floodlights.

3 REMOVABLE HARD-SIDE TRAVEL CASES
Protect extra gear from the elements and easily detach to take with you.

HEAVY DUTY BUMPERS
You'll find heavy duty steel front and rear bumpers to protect your machine.



BEADLOCK RIMS
CST Clincher off-road tires on 14-inch rims with beadlocks, for when nature gets nasty.

3,000 LB. WINCH
With a handlebar-mounted control switch.

BASH PLATE & SKID PLATES
A high strength aluminum front bash plate, and durable full length HDPE skid plates to handle nasty rocks and stumps.

REAR TRAILING ARM SUSPENSION
Equipped with fully adjustable gas shocks to help smooth out the ride.

1000 OVERLAND

800 XC



SCULPTED 2-UP SEATING
Superior support and optimized seating position for all-day riding comfort. Utilizes robust materials and high-quality stitching for long-lasting durability.

ELECTRONIC POWER STEERING
Variable assist electronic power steering gives you optimal steering feedback in all conditions.

NEW HANDLEBAR CONTROLS
Including hand brake and parking brake lever

BRIGHT WHITE PROJECTOR BEAM HEADLIGHTS
Accented with stylish LED strips.

FENDER FLARES
Rugged plastic is specifically designed to keep mud, water and debris away from you and the machine.



TRAILING ARM REAR SUSPENSION
Tackle rugged terrain and navigate tight, twisting trails with maximum comfort and confidence.

ALUMINUM ALLOY WHEELS
Lightweight aluminum rims are machined and polished for an eye-catching finish.

3,000 LB. WINCH
With a handlebar-mounted control switch.

COMPOSITE-OVER-STEEL FRONT AND REAR RACKS
Bring all your accessories and gear. These rugged racks feature a composite-over-steel design for added durability and ease of attachment.

800 XC

CFORCE FEATURES

600 TOURING

600

HAND GUARDS
Plastic reinforced for maximum hand protection.



HAND BRAKE WITH PARKING BRAKE LEVER

SCULPTED 2-UP SEATING (600 Touring only)
Superior support and optimized seating position for all-day riding comfort.

STORAGE COMPARTMENT
Ample storage space with easy access to all your personal items.

FRONT AND REAR COMPOSITE-OVER-STEEL RACK DESIGN
Holds up to 100 lbs/75 lbs front/rear for 600 Touring, 75/150 lbs. front/rear for 600 one-up. Designed to secure your cargo and attachments more easily.

FENDER FLARES
Durable plastic flares minimize mud, water and debris from spraying over you and your machine.

USB PORT
Power up on the go.

LCD GAUGE
Keep an eye on the important stuff. Monitor twelve engine vitals at a glance.

3,000 LB. WINCH
With a handlebar-mounted control switch.

RIDEVISION LED HEADLIGHTS

LED array reflector style sets you apart. 80% brighter than halogen.

ALUMINUM ALLOY WHEELS
Lightweight aluminum rims are machined and polished.

600 TOURING

500/400

HAND BRAKE WITH PARKING BRAKE LEVER

ELECTRONIC POWER STEERING
Variable assist electronic power steering gives you optimal steering feedback in all conditions (Not available on 400.)

USB PORT
Lets you power up on the go. Also has a 12 volt accessory outlet.

RIDEVISION LED HEADLIGHTS

HIGH INTENSITY HEADLIGHTS
500 gets Ridevision™ LED headlights. 400 gets halogen headlights with LED accents.

AUTOMOTIVE STYLE PAINT
The paint job is another sign of quality. Don't worry about getting it dirty. Simply hose it down and you're ready for your next adventure (Not available on 400.)

LCD DISPLAY
Keep an eye on the important stuff. Monitor twelve engine vitals at a glance.

2,500 LB. WINCH
With a handlebar-mounted control switch (500 only.)

ALUMINUM ALLOY WHEELS
Lightweight aluminum rims are machined and polished for an eye-catching finish (500 only, 400 has steel.)

500

400

COMPOSITE-OVER-STEEL FRONT AND REAR RACKS (500 ONLY)
Bring all your accessories and gear. These rugged racks feature a new composite-over-steel design for added durability and ease of attachment.

963cc V-twin EFI engine, heavy duty steel bumpers and HDPE skid plates, beadlock rims, 3 removable hard-side travel cases, trailing arm rear suspension, 3,000 lb. winch.

CFORCE® 1000 OVERLAND

800cc V-twin EFI engine, front and rear composite-over-steel racks, 2-up seating, trailing arm rear suspension, 3,000 lb. winch.

CFORCE® 800 XC

Shown with optional accessories.

580cc single cylinder EFI engine, 2-up seating, front and rear composite-over-steel racks, aluminum rims, 3,000 lb. winch, electronic power steering.

CFORCE® 600 TOURING

Shown with optional accessories.

580cc single cylinder EFI engine, front and rear composite-over-steel racks, aluminum rims, 3,000 lb. winch, electronic power steering.

CFORCE® 600

495cc single cylinder EFI engine, front and rear composite-over-steel racks, aluminum rims, 2,500 lb. winch, electronic power steering.

CFORCE® 500

398cc single cylinder EFI engine, front and rear steel racks, steel rims, LCD display.

CFORCE® 400

CFORCE®
2022 SPECS

POWER & DRIVETRAIN	400	500	600	600 TOURING	800 XC	1000 OVERLAND
ENGINE TYPE	Single cylinder, liquid cooled, 4-stroke, SOHC, 4-valve	Single cylinder, liquid cooled, 4-stroke, SOHC, 4-valve	Single cylinder, liquid cooled, 4-stroke, SOHC, 4-valve	Single cylinder, liquid cooled, 4-stroke, SOHC, 4-valve	V-Twin, liquid cooled, 4-stroke, SOHC, 8-valve	V-Twin, liquid cooled, 4-stroke, SOHC, 8-valve
DISPLACEMENT	400cc	495cc	580cc	580cc	800cc	963cc
HORSEPOWER	31 HP @ 7200 RPM	38 HP @ 6800 RPM	40 HP @ 6750 RPM	40 HP @ 6750 RPM	62 HP @ 7250 RPM	79 HP @ 7000 RPM
FUEL SYSTEM	Bosch® EFI	Bosch® EFI	Bosch® EFI	Bosch® EFI	Delphi® EFI	Bosch® EFI
TRANSMISSION	CVTech Automatic P/R/N/H/L	CVTech Automatic P/R/N/H/L	CVTech Automatic P/R/N/H/L	CVTech Automatic P/R/N/H/L	CVTech Automatic P/R/N/H/L	CVTech Automatic P/R/N/H/L
DRIVE	2WD/4WD/4WD lock	2WD/4WD/4WD lock	2WD/4WD/4WD lock	2WD/4WD/4WD lock	2WD/4WD/4WD lock	2WD/4WD/4WD lock
DIMENSIONS						
L x W x H	80.6"x 44.3"x 45.3"	80.6"x 44.3"x 45.3"	81.1" x 46.4" x 48"	88.9" x 46.4" x 53.1"	90.5" x 48" x 56.7"	90.5" x 48" x 56.7"
WHEEL BASE	50"	50"	50"	58.3"	58.3"	58.3"
GROUND CLEARANCE	9.8"	10.3"	10.6"	10.6"	11.2"	11.8"
CURB WEIGHT	750 lbs.	783 lbs.	870 lbs.	915 lbs.	1058 lbs.	1080 lbs.
FEATURES						
RACK CAPACITY	**Front/Rear:** 75 lbs./100 lbs.	**Front/Rear:** 75 lbs./100 lbs.	**Front/Rear:** 75 lbs./100 lbs.	**Front/Rear:** 100 lbs./75 lbs.	**Front/Rear:** 100 lbs./75 lbs.	**Front/Rear:** 100 lbs./75 lbs.
BRAKING	**Front/Rear:** Hydraulic disc with parking brake	**Front/Rear:** Hydraulic disc with parking brake	**Front/Rear:** Hydraulic disc with parking brake	**Front/Rear:** Hydraulic disc with parking brake	**Front:** Hydraulic disc with parking brake	**Front/Rear:** Hydraulic disc with parking brake
SUSPENSION	**Front/Rear:** Double A-arm independent	**Front/Rear:** Double A-arm independent	**Front/Rear:** Double A-arm independent	**Front/Rear:** Double A-arm independent	**Front:** High clearance A-arm independent **Rear:** Trailing arm independent	**Front:** High clearance A-arm independent **Rear:** Trailing arm independent
SHOCKS	**Front/Rear:** Spring pre-load adjustable, oil damped	**Front/Rear:** Spring pre-load adjustable, oil damped	**Front/Rear:** Spring pre-load adjustable, oil damped	**Front/Rear:** Spring pre-load adjustable, oil damped	**Front/Rear:** High pressure gas, compression/rebound adjustable	**Front/Rear:** High pressure gas, compression/rebound adjustable
WHEELS	12" Steel	12" Cast aluminum alloy	12" Cast aluminum alloy	12" Cast aluminum alloy	14" Cast aluminum alloy	14" Cast aluminum alloy with beadlocks
TIRES	**Front**: 24"x8"xR12 **Rear**: 24"x10"xR12	**Front**: 25"x8"xR12 **Rear**: 25"x10"xR12	**Front**: 25"x8"xR12 **Rear**: 25"x10"xR12	**Front**: 25"x8"xR12 **Rear**: 25"x10"xR12	**Front**: 26"x9"xR14 CST **Rear**: 26"x11"xR14 CST	**Front**: 27"x9"xR14 CST **Rear**: 27"x11"xR14 CST
ADDITIONAL FEATURES	LCD display, USB port, engine braking, halogen headlights with LED accents, LED taillights, 12-volt power outlet	Electronic power steering, 2500 lb. winch, LCD display, USB port, Ridevision™ LED headlights and taillights, engine braking, 2" receiver, 12-volt power outlet	Electronic power steering, 3000 lb. winch, LCD display, USB port, Bluetooth call indicator, engine braking, Ridevision™ LED headlights & taillights with backup lights, 2" receiver, hand guards, 12-volt power outlet	Electronic power steering, 3000 lb. winch, LCD display, USB port, Bluetooth call indicator, engine braking, Ridevision™ LED headlights & taillights with backup lights, 2" receiver, hand guards, 12-volt power outlet	Brushless electronic power steering, 3000 lb. winch, USB port, projector beam headlight with LED accents, LCD display, 2" receiver, hand guards, 12-volt power outlet	Brushless electronic power steering, 3000 lb. winch, USB port, projector beam headlights with LED accents, LCD gauge, 2" receiver, wind screen, 3-piece cargo box, hand guards, steel bumpers, aluminum bash plate, heavy duty skid plates, LED floodlights, fender flares, 12-volt power outlet
COLORS	Sky Blue (injected), Polar White (injected), Hunter Green (injected)	Royal Blue, Force Red, Lava Orange, True Timber Camo	Force Red, Pearl White, Velocity Grey, True Timber Camo	Force Red, Pearl White, Velocity Grey, True Timber Camo	Royal Blue, Lava Orange, Ghost Grey, True Timber Camo	Granite Ridge, VSX Midnight Camo

GEAR UP
WITH SOME EXTRAS

From items like bumpers and windshields to rack extensions and cargo boxes, our new lineup of accessories provides expanded capabilities and more options for your machine.

ZFORCE®

UFORCE®

CF CONNECT™

Our new quick-attach technology secures accessories, and with a flip of a lever, allows for easy detachment.

CFORCE®

CFMOTO®
EXPERIENCE MORE TOGETHER

Copyright 2022 Zhejiang CFMOTO Power Co. Ltd. All rights reserved. CFMOTO®, CFORCE®, UFORCE®, ZFORCE® and CFMOTO CF logo are trademarks of Zhejiang CFMOTO Power Co., Ltd. BOSCH® is a registered trademark of Robert Bosch GmbH. Delphi® is a registered trademark of Delphi Automotive PLC. CVTech® is a registered trademark of CVTech-AAB. All ZFORCE, CFORCE and UFORCE models feature a standard 12-month Limited Warranty. **WARNING:** CFMOTO recreational vehicles are intended for off-road use only and can be hazardous to operate. Read Owner's Manual and all product labels before operating. Never operate on paved roads. Operators and passengers must wear a helmet, eye protection and protective clothing. Operators must be at least 16 years old with a valid driver's license. Passengers, if permitted, must be at least 12 years old. Always use seatbelts, cab netting and doors (if equipped). Never operate under the influence of alcohol or drugs. Avoid excessive speed and sharp turns, and never engage in stunt driving. Check state and local laws before operating on trails. Take a safety training course before operating. Contact your CFMOTO dealer for more information, call the ATV Safety Institute at 1-800-887-2887, or go to www.atvsafety.org. ®2022 Zhejiang CFMOTO Power Co., Ltd.

3555 Holly Lane N., Suite #30
Plymouth, MN 55447
763-398-2690
info@cfmotousa.com

CFMOTOUSA.COM